


PDS No. 3xx070	PRODUCT DATA SHEET			Page 1 of 1
Revision 06	Ceaprene Stopper			
	Greiner Item-No. 3xx070			
Valid for Item-No.:	354070	330070	332070	

	Description / Specification	
1.1	Description	Ceaprene stopper for closure Drosophila Containers (This stopper is permeable and made of water-repellent material) 354070: for Art.-No. 205101 330070: for Art.-No. 217101 332070: for Art.-No. 960177
1.2	Dimensions	See Customer Drawings
1.3	Volume	-
1.4	Material / Resin	Polyether polyurethane foam
1.5	Colour	White
1.6	Sterilization	No
1.7	Quality Control	-
1.8	Intended Use	General laboratory product for covering or capping to be used by qualified personnel in a laboratory environment.
1.9	Other Information	For single use only

2.	Features	
2.1	Basic features	Tensile strength: (DIN EN 1798) ≥ 100 kPa Elongation at break: (DIN EN ISO 1798) ≥ 140 % (this stopper is permeable and made of water-repellent material)
2.2	Temperature range	For application: -20°C to +120°C
2.3	Autoclavability	Yes
2.4	Centrifugation, max. RCF	-
2.5	Chemical Resistance	-
2.6	Shelf life	N/A
2.7	Other Information	Store protected from light (UV light causes yellowing of the ceaprene stoppers)

3.	Packaging	354070	330070	332070
3.1	Pieces / Bag	1.500	605	315
3.2	Pieces / Box	1.500	605	315
3.3	Lot-No.	E YY MM XXX (manufacturing facility, year, month, consecutive SAP-No.)	E YY MM XXX (manufacturing facility, year, month, consecutive SAP-No.)	E YY MM XXX (manufacturing facility, year, month, consecutive SAP-No.)
3.4	Other Information	Smaller amounts on request	Smaller amounts on request	Smaller amounts on request

4.	Other Information
	-

Data Sheet subject to change without notice!

Prior Issue	Drawn	Approved	Released	CONFIDENTIAL: Information contained in this document or drawing is confidential and proprietary to Greiner Bio-One GmbH. This document may not be reproduced for any reason without written permission from Greiner Bio-One GmbH. All rights of design, invention, and copyright are reserved.
Revision 05	Date 9 August 2023	Date 10 August 2023	Date 10 August 2023	
Date 13.01.2022	Name S. Kaelberer	Name R. Daum	Name Dr. C.-K. Chai	

DISCLAIMER: The description of a certain product can only be considered as a guidance, because its performance ultimately depends on what the product is used for. Very often performance studies are indispensable.